

Area 3 North Central-Rural North
Tab 7 – Intervention Selection Form

Subpopulation: FMS Women AA Ranking: 7

Name of Intervention	Enhancing Motivation to Reduce the Risk of HIV Infection for Economically Disadvantaged Urban Women FS-26
Risk Behavior(s)	Unprotected sex Multiple sex partners
Influencing Factor(s) or FIBs	<ul style="list-style-type: none"> • Low social support • Poor negotiation skills • Low perceived susceptibility • Gender norms
Intended Immediate Outcomes	Improve risk perception Improve negotiation skills Increase safer sex behaviors
Type	GLI
Setting	Community Based Organizations
Is this intervention currently being provided in your planning area?	No
Rationale for Selecting this Intervention:	Cultural specific. Provides opportunities to practice needed skills. It can be use in multiple settings

Area 3 North Central-Rural North
Tab 7 – Intervention Selection Form

Subpopulation: FMS Women AA Ranking: 7

Name of Intervention	Project RESPECT C-11, FS-35
Risk Behavior(s)	Sex without condoms
Influencing Factor(s) or FIBs	<ul style="list-style-type: none"> • Cultural norms • Lack of negotiation skills • Low perceived susceptibility
Intended Immediate Outcomes	Improve perception of risk Increase condom use
Type	ILI
Setting	STD Clinics, Community Based Organizations
Is this intervention currently being provided in your planning area?	No
Rationale for Selecting this Intervention:	Provides two options to carry out the intervention. Addresses negotiation skills and develops social support networks

Area 3 North Central-Rural North
Tab 7 – Intervention Selection Form

Subpopulation: FMS Women AA Ranking: 7

Name of Intervention	Real AIDS Prevention Project (RAPP) C-13, FS-38
Risk Behavior(s)	Sex without condoms.
Influencing Factor(s) or FIBs	<ul style="list-style-type: none"> • Cultural norms • Low perceived susceptibility • Poor communication skills • Lack of access to condoms • Attitudes toward condom use
Intended Immediate Outcomes	Improve perception of risk Improved attitudes toward condom use Increase access to condoms Increase condom use
Type	CLI
Setting	Streets, residential complexes, parks, local businesses
Is this intervention currently being provided in your planning area?	No
Rationale for Selecting this Intervention:	The intervention utilizes community peer educators and includes an outreach component, which will ensure the inclusion of disfranchised women not accessing services.

Area 3 North Central-Rural North
Tab 7 – Intervention Selection Form

Subpopulation: FMS Women AA Ranking: 7

Name of Intervention	Project Light FS-434
Risk Behavior(s)	Unprotected Sex
Influencing Factor(s) or FIBs	<ul style="list-style-type: none"> • Poor negotiation skills • Low perceived susceptibility
Intended Immediate Outcomes	Improved negotiation skills Improved perception of risk Increase consistency of safer sex behaviors
Type	GLI
Setting	STD Clinic, Community Based Organizations
Is this intervention currently being provided in your planning area?	No
Rationale for Selecting this Intervention:	Culturally specific. Address important cultural factors such as negotiation skills among couples and relationship development. May not be limited to a clinical setting.

Area 3 North Central-Rural North
Tab 7 – Intervention Selection Form

Subpopulation: FMS Women AA Ranking: 7

Name of Intervention	A Randomized, Controlled Trial of a Behavioral Intervention to Prevent Sexually Transmitted Disease Among Minority Women FS-48
Risk Behavior(s)	Unprotected sex Multiple partners
Influencing Factor(s) or FIBs	<ul style="list-style-type: none"> • Lack of access to condoms. • Poor negotiation skills • Attitudes toward condom use • Perceived susceptibility
Intended Immediate Outcomes	Improve perception of risk Improve attitudes toward condom use Improve negotiation skills Increase consistency of safer sex behaviors
Type	GLI
Setting	Clinics, Community Based Organizations
Is this intervention currently being provided in your planning area?	No
Rationale for Selecting this Intervention:	Culturally specific intervention. However, videos may need to be adapted to address women.

Area 3 North Central-Rural North
Tab 7 – Intervention Selection Form

Subpopulation: FMS Women AA Ranking: 7

Name of Intervention	AIDS Community Demonstration Project C-2, FS-7
Risk Behavior(s)	Sex without condoms
Influencing Factor(s) or FIBs	<ul style="list-style-type: none"> • Attitudes toward condom use. • Lack of access to condoms
Intended Immediate Outcomes	Increase access to condoms. Improve attitudes toward condom use Increase consistency of condom use
Type	CLI
Setting	Streets, parks, community events, businesses, Health Fairs
Is this intervention currently being provided in your planning area?	No
Rationale for Selecting this Intervention:	Increase access to condoms and services (as an outreach intervention).

Area 3 North Central-Rural North
Tab 7 – Intervention Selection Form

Subpopulation: FMS Women AA Ranking: 7

Name of Intervention	VOICES/VOCES: Video Opportunities for Innovative Condom Education and Safer Sex C-14, FS-46
Risk Behavior(s)	Sex without condoms
Influencing Factor(s) or FIBs	<ul style="list-style-type: none"> • Low perceived susceptibility • Negotiation skills • Poor self –efficacy about condom use • Cultural Norms
Intended Immediate Outcomes	Improve perception of risk Increase consistency of condom use.
Type	GLI
Setting	STD Clinic, Community Based Organizations.
Is this intervention currently being provided in your planning area?	No
Rationale for Selecting this Intervention:	Culturally specific. Culture is an ongoing component of this intervention and how it interacts with sex and sexual behaviors.

Area 3 North Central-Rural North
Tab 7 – Intervention Selection Form

Subpopulation: FMS Women AA

Ranking: 8

Name of Intervention	Internet-based Interventions
Risk Behavior(s)	Poor knowledge about HIV prevention information.
Influencing Factor(s) or FIBs	<ul style="list-style-type: none"> • Lack of knowledge of where to get prevention information. • Lack of transportation
Intended Immediate Outcomes	Increase knowledge about HIV prevention and improve access to prevention services.
Type	ILI
Setting	Internet (Community Based Organizations)
Is this intervention currently being provided in your planning area?	Yes
Rationale for Selecting this Intervention:	A good number of participants reported using the internet to get information about HIV and STD's.

Area 3 North Central-Rural North
Tab 7 – Intervention Selection Form

Subpopulation: FMS Women AA Ranking: 4

Name of Intervention	STD testing
Risk Behavior(s)	Fail to test for STDs
Influencing Factor(s) or FIBs	<ul style="list-style-type: none"> Low perceived susceptibility
Intended Immediate Outcomes	Increase knowledge of infection status. Develop risk reduction plan and access treatment if needed.
Type	CLI/ILI
Setting	STD Clinic, Community Based Organizations, Outreach settings
Is this intervention currently being provided in your planning area?	Yes
Rationale for Selecting this Intervention:	High STD morbidity.